



# Monitoring dan Evaluasi





**Hasil belajar:**  
di akhir sesi, anda harus dapat :


1. Melakukan monitoring dan evaluasi dasar untuk pelaksanaan PPAM
2. Menjelaskan alat bantu/tools untuk penilaian kebutuhan Kesehatan Reproduksi dan Seksual yang komprehensif



## **Merencanakan untuk layanan Kespro komprehensif untuk diintegrasikan ke pelayanan kesehatan primer**

- Informasi dasar, Monitoring dan Evaluasi
- Identifikasi tempat untuk pelayanan komprehensif selanjutnya
- Menilai staff dan protokol pelatihan
- Jalur pengadaan barang

## Lima komponen dasar dari Monitoring dan Evaluasi



# Data demografi dan informasi kesehatan dasar PPAM

Basic demographic and health information				
	JAN	FEB	MAR	APR
Total population				
Number of women of reproductive age (ages 15 to 49, estimated at 25 percent of population)				
Number of sexually active men (estimated at 20 percent of population)				
Crude birth rate (estimated at 4 percent of the population)				
Age-specific mortality rate (including neonatal deaths 0 to 28 days)				
Sex-specific mortality rate				

# Indikator PPAM untuk M dan E

<b>COORDINATION</b>	<b>JAN</b>	<b>FEB</b>	<b>MAR</b>	<b>APR</b>
Overall RH Coordinator in place and functioning under the health coordination team				
RH focal points in camps and implementing agencies in place				
Material for implementation of the MISP available and used				
Basic demographic and health data collected				
<b>SEXUAL VIOLENCE</b>				
Coordinated multi-sectoral systems to prevent sexual violence in place				
Confidential health services to manage cases of sexual violence in place				
Staff trained (retrained) in sexual violence prevention and response				

# Indikator PPAM untuk M & E

<b>HIV TRANSMISSION</b>				
Sufficient materials in place for practice of universal precautions by trained, knowledgeable health workers				
Condoms procured and made available				
Blood for transfusion consistently screened				
<b>MATERNAL AND NEONATAL MORTALITY AND MORBIDITY</b>				
Clean delivery kits available and distributed				
Calculate the number of clean delivery packages needed to cover for births for 3 mo. (estimated population x .04 x .25)				
Midwife kits available at the health center				
Referral hospital assessed and supported for adequate number of qualified staff, equipment and supplies				
Referral system for obstetric emergencies functioning 24/7				

# Indikator PPAM untuk M dan E


PLANNING FOR COMPREHENSIVE RH				
Basic background information collected				
Sites identified for future delivery of comprehensive RH services				
Staff assessed, training protocols identified				
Procurement channels identified and monthly drug consumption assessed				

# Pengumpulan data bulanan PPAM

Monthly data collection				
	JAN	FEB	MAR	APR
Number of condoms distributed				
Number of clean delivery packages distributed				
Number of sexual violence cases reported in all sectors				
Number of health facilities with supplies for universal precautions				
Basic demographic and health data collected				

# Alat bantu/tools yang lain

1. Indikator SRH pada fase awal: hal. 100
2. Indikator SRH pada fase stabil: hal.101 (safe motherhood)
3. Referensi angka dan rasio SRH: hal. 110
4. Estimasi jumlah ibu hamil pada suatu penduduk: hal.112
5. Format laporan bulanan SRH: hal. 113
6. Rangkuman indikator SRH: p. 116



# Alat bantu/tools yang lain(2)

## REPRODUCTIVE HEALTH ASSESSMENT TOOLKIT FOR CONFLICT-AFFECTED WOMEN

“CDC toolkit”

Baru! Juli 2007



**USAID**  
FROM THE AMERICAN PEOPLE



**CDC**  
SAFER • HEALTHIER • PEOPLE

## Pesan Kunci

- Tujuan dari monitoring adalah untuk meningkatkan pelaksanaan program
- Ketika melakukan monitoring, hindari menyalahkan dan menghakimi
- Gunakan temuan yang didapat untuk memberi masukan bagi program anda